


N69 36216
NASA CR 105644



CASE FILE
COPY

EVALUATION PROGRAM
for
SECONDARY SPACECRAFT CELLS

ACCEPTANCE TEST
OF
MCDONNELL DOUGLAS, ASTROPOWER DIVISION
5.0 AMPERE-HOUR SILVER-ZINC CELLS

prepared for
GODDARD SPACE FLIGHT CENTER
CONTRACT W12-397



QUALITY EVALUATION LABORATORY
NAD CRANE, INDIANA

DEPARTMENT OF THE NAVY
NAVAL AMMUNITION DEPOT
QUALITY EVALUATION DEPARTMENT
CRANE, INDIANA 47522

EVALUATION PROGRAM
FOR
SECONDARY SPACECRAFT CELLS

ACCEPTANCE TEST
OF
McDONNELL DOUGLAS, ASTROPOWER DIVISION
5.0 AMPERE-HOUR SILVER-ZINC CELLS

QE/C 69-656

15 AUGUST 1969

PREPARED BY

D. E. Mains

D. E. MAINS

PREPARED UNDER THE DIRECTION OF

H. G. Miley

D. G. MILEY
Manager, Electrochemical
Power Sources Branch

APPROVED BY

C. G. Lynch

C. G. LYNCH
By direction

Enclosure (1)

REPORT BRIEF
ASTROPOWER 5.0 AMPERE-HOUR SEALED SILVER-ZINC
SECONDARY SPACECRAFT CELLS

- Ref: (a) National Aeronautics and Space Administration Purchase Order W12-397
(b) NASA ltr BRA/VBK/pad of 25 September 1961 w/BUWEPS first end FQ-1:WSK of October 1961 to CO NAD Crane

I. TEST ASSIGNMENT

A. In compliance with references (a) and (b), 44 Astropower 5.0 ampere-hour cells, constructed for NASA Lewis under contract NAS 3-10924, were tested as outlined in the Acceptance Test Procedure for Astropower Inorganic Separator Cells of 27 May 1968. The acceptance test was designed to evaluate the cells for physical defects, seal quality, and ampere-hour capacity (full procedure in Appendix).

II. RECOMMENDATIONS AND RESULTS

- A. Rejection of all the cells is recommended because:
1. All the cells leaked an unknown quantity of electrolyte.
 2. Twenty-five of the cells failed to deliver the required capacity of 5.5 ampere-hours.

RESULTS OF ACCEPTANCE TESTS
OF
5.0 AMPERE-HOUR SEALED SILVER-ZINC
SECONDARY SPACECRAFT CELLS
MANUFACTURED BY
THE ASTROPOWER DIVISION OF McDONNELL DOUGLAS

I. INTRODUCTION

A. The Astropower Division of McDonnell Douglas has developed an inorganic separator material which they incorporated into the construction of 5.0 ampere-hour silver-zinc cells (one cell is shown in Photograph I). Forty-four cells were purchased by NASA, Lewis Research Center and tested at NAD Crane. Each cell was tested for seal quality, physical defects, and ampere-hour capacity as outlined in the acceptance test procedure furnished by Goddard Space Flight Center (See Appendix). All the cells leaked electrolyte; also, 25 cells failed to deliver the required capacity. Based on these results no further tests were performed on these cells.

II. CAPACITY TESTS

A. Each cell was required to deliver a minimum of 5.5 ampere-hours following the second charge at 350 milliamperes to 2.05 volts. Twenty-five cells failed to deliver 5.5 ampere-hours when discharged at 2.5 amperes to 1.0 volt.

B. The first and third discharges were performed at 1.0 ampere and 5.0 amperes, respectively, to 1.0 volt with all charges at 350 milliamperes to 2.05 volts.

C. The ampere-hours of charge and discharge for each of the three measurements are listed in Table I while a typical discharge curve for each of the three discharge rates is graphed in Figure 1.

III. CASE INSPECTION AND LEAK TESTS

A. The molded plastic case of each cell was visually inspected for defects. The terminals, fill port, and relief valve were checked by visual inspection and by phenolphthalein solution for leaks. Visual inspection revealed no defects in the cases before or after the capacity measurements. Prior to testing, 25 cells had visible leaks and an additional 17 had leaks detected by phenolphthalein. After the capacity check measurements, all the cells leaked, 34 visible and an additional 10 detectable by phenolphthalein solution.

QE/C 69-656


IV. WEIGHT AND DIMENSIONS

A. Each cell was weighed before and after the capacity measurements. The cell dimensions, initial weight, and final weight are tabulated in Table II.

QE/C 69-656



PHOTOGRAPH 1



TYPICAL DISCHARGE CURVE

FIGURE 1

TABLE I
AMPERES IN AND OUT

Serial Number	First Charge A.H.	First Discharge A.H.	Second Charge A.H.	Second Discharge A.H.	Third Charge A.H.	Third Discharge A.H.
1-7	6.04	5.66	5.53	5.18*	5.25	4.53
1-8	5.78	5.48	5.88	5.33*	5.40	4.47
1-9	5.60	5.18	5.66	5.15*	5.17	4.44
1-10	6.21	5.81	6.07	5.63	5.62	4.91
1-11	6.21	5.98	6.17	5.61	5.69	4.98
1-12	6.21	5.95	6.26	5.82	5.78	5.11
1-13	6.21	5.78	5.90	5.43*	5.47	4.60
1-14	5.85	5.57	5.76	5.16*	5.20	4.38
1-15	6.39	5.94	6.00	5.48	5.53	4.89
1-16	6.04	5.71	6.09	5.59	5.50	4.76
1-17	6.04	5.63	6.38	5.28*	5.55	4.73
1-18	6.21	5.83	6.10	5.51	5.53	4.68
1-19	6.04	5.78	6.04	5.56	5.57	4.73
1-20	5.70	5.34	5.78	5.27*	5.31	4.52
1-21	5.70	5.83	6.11	5.60	5.67	4.83
1-22	6.13	5.74	6.03	5.48*	5.48	4.79
1-23	6.04	5.62	5.77	5.35*	5.52	4.77
1-24	6.04	5.73	5.98	5.47*	5.51	4.71
1-25	6.21	5.81	6.12	5.62	5.57	4.85
2-1	6.21	6.08	6.06	5.52	5.68	4.96
2-2	5.35	6.20	5.53	5.81	5.16	4.88
2-3	6.49	6.21	6.48	6.01	6.05	5.34
2-4	6.18	5.93	6.23	5.52	5.67	4.55
2-5	5.60	5.23	5.82	5.23*	5.32	4.63
2-6	5.94	5.65	6.12	5.65	5.72	4.87
2-7	6.04	5.82	6.15	5.58	5.63	4.81
2-8	5.84	5.53	5.93	5.41*	5.47	4.63
2-9	5.80	5.51	6.01	5.44*	5.46	4.69
2-10	6.07	5.80	6.12	5.64	5.74	4.90
2-11	6.11	5.90	6.24	5.60	5.72	4.87
2-12	6.05	5.89	6.32	5.65	5.69	4.64
2-13	5.80	5.51	5.95	5.17*	5.40	4.64
2-14	6.10	5.90	6.09	5.68	5.70	5.01
2-15	5.79	5.42	5.83	5.42*	5.48	4.78
2-16	5.64	5.22	5.65	5.22*	5.20	4.50
2-17	6.04	5.88	6.11	5.51	5.57	4.68
2-18	5.95	5.66	6.08	5.33*	5.51	4.41
2-19	6.06	5.86	6.11	5.23*	5.48	3.88
2-20	5.74	5.55	6.07	5.37*	5.50	4.78
2-21	5.49	5.05	5.58	5.16*	5.22	4.37
2-22	5.90	4.43	5.43	5.25*	5.08	4.75
2-23	5.64	4.48	5.51	5.29*	4.99	4.67
2-24	5.54	4.58	5.53	5.17*	5.12	4.84
2-25	5.96	5.12	5.76	5.38*	5.12	4.84

* Failed to deliver required capacity of 5.5 ampere-hours.

TABLE II
PHYSICAL INFORMATION

Serial Number	Height (Inches)	Depth (Inches)	Width (Inches)	Weight Initial (Grams)	Weight Final (Grams)	Leakers Initial*	Leakers Final*
1-7	3.343	1.036	2.282	231.3	231.1	P	VP
1-8	3.341	1.041	2.280	230.2	230.1	P	P
1-9	3.346	1.067	2.279	231.3	231.1	P	VP
1-10	3.333	1.034	2.283	230.2	230.1	P	P
1-11	3.344	1.036	2.281	230.4	230.2	P	P
1-12	3.339	1.072	2.276	230.0	229.7	VP	VP
1-13	3.345	1.034	2.281	231.6	231.4		P
1-14	3.336	1.036	2.282	231.1	230.9	P	VP
1-15	3.342	1.036	2.282	231.7	231.5	P	P
1-16	3.346	1.034	2.281	230.6	230.5	P	P
1-17	3.347	1.033	2.282	230.3	230.1	P	P
1-18	3.347	1.034	2.281	230.8	230.5	P	P
1-19	3.343	1.035	2.280	230.9	230.7	P	P
1-20	3.342	1.036	2.277	230.4	230.3		VP
1-21	3.345	1.038	2.281	231.4	231.3	P	VP
1-22	3.344	1.050	2.278	230.0	229.8	P	VP
1-23	3.341	1.051	2.281	231.8	231.5	P	VP
1-24	3.338	1.036	2.284	231.1	231.0	P	VP
1-25	3.345	1.036	2.281	230.1	230.1	P	P
2-1	3.346	1.042	2.281	229.5	229.3	VP	VP
2-2	3.336	1.072	2.283	229.3	228.3	VP	VP
2-3	3.343	1.041	2.286	231.2	231.2	VP	VP
2-4	3.334	1.069	2.279	228.0	227.5	VP	VP
2-5	3.343	1.030	2.288	230.7	230.7	VP	VP
2-6	3.342	1.037	2.286	231.0	231.0	VP	VP
2-7	3.343	1.092	2.280	229.0	229.0	VP	VP
2-8	3.346	1.050	2.283	230.6	230.7	VP	VP
2-9	3.345	1.032	2.286	229.8	229.8	VP	VP
2-10	3.337	1.035	2.285	230.1	230.0	VP	VP
2-11	3.345	1.094	2.280	229.3	229.1		VP
2-12	3.341	1.085	2.282	227.9	228.0	VP	VP
2-13	3.343	1.064	2.283	230.2	230.2	VP	VP
2-14	3.344	1.090	2.282	231.9	232.0	VP	VP
2-15	3.345	1.038	2.288	230.8	230.8	VP	VP
2-16	3.340	1.034	2.285	229.3	229.2	VP	VP
2-17	3.338	1.055	2.281	229.8	229.3	VP	VP
2-18	3.335	1.076	2.272	225.3	224.8	VP	VP
2-19	3.339	1.085	2.283	230.6	230.6	VP	VP
2-20	3.345	1.081	2.282	229.2	229.2	VP	VP
2-21	3.344	1.049	2.286	229.8	229.9	VP	VP
2-22	3.343	1.067	2.282	229.7	229.8	VP	VP
2-23	3.341	1.092	2.282	231.0	231.1	VP	VP
2-24	3.336	1.032	2.287	231.1	231.2	VP	VP
2-25	3.345	1.065	2.286	231.2	231.3	VP	VP
Average	3.342	1.052	2.282	230.3	230.1		

* V = Visual

* P = Phenolphthalein

QE/C 69-656

APPENDIX

Acceptance Test Procedure
for
Astropower Inorganic Separator Cells
of 27 May 1968

- 1.0 Inspect cell terminals and relief valve for corrosion or leaks.
- 2.0 Inspect case and epoxy for cracks or defects.
- 3.0 Check that all electrode and separator stacks are on bottom of case.
- 4.0 Weigh each cell to within one gram.
- 5.0 Discharge each cell with a 0.5 ohm resistor to 1.0 volt.
- 6.0 Charge at 350 milliamperes constant current to 2.05 volts, each cell. Record cell voltage at 1 minute and every 30 minutes thereafter. Record ampere-hours in.
- 7.0 Discharge at 1.0 ampere constant current to 1.0 volt each cell. Record cell voltage at 1 minute and every 15 minutes thereafter. Record ampere-hours out.
- 8.0 Repeat paragraphs 6.0 and 7.0 twice, but with the second and third constant current discharges at 2.5 and 5.0 amperes, respectively.
- 9.0 Ampere-hours out on the second discharge are to be greater than 5.5 ampere-hours. If not, return the low cells to the manufacturer.
- 10.0 Inspect cell terminals and relief valve for corrosion or leaks.
- 11.0 Discharge each cell with a 0.5 ohm resistor to 1.0 volt.
- 12.0 Weigh each cell to within one gram.

DISTRIBUTION LIST

COPY NO.

- 1-6 National Aeronautics and Space Administration, Goddard Space Flight Center (Mr. Thomas Hennigan, Code 716.2), Greenbelt, Maryland 20771
- 7 National Aeronautics and Space Administration (Mr. Ernst M. Cohn, Code RNW), Washington, D. C. 20546
- 8 National Aeronautics and Space Administration (Mr. A. M. Greg Andrus, Code SAC), Washington, D. C. 20546
- 9-11 National Aeronautics and Space Administration, Scientific and Technical Information Division (Winnie M. Morgan, Code US), Washington, D. C. 20546
- 12 National Aeronautics and Space Administration, Office of Technology Utilization, Washington, D. C. 20546
- 13 National Aeronautics and Space Administration, Goddard Space Flight Center (Mr. Joseph Sherfey, Code 735), Greenbelt, Maryland 20771
- 14 National Aeronautics and Space Administration, Goddard Space Flight Center (Mr. Gerald Halpert, Code 735), Greenbelt, Maryland 20771
- 15 National Aeronautics and Space Administration, Langley Research Center (Mr. John L. Patterson, MS-472), Hampton, Virginia 23365
- 16 National Aeronautics and Space Administration, Langley Research Center (Mr. M. B. Seyfert, MS-112), Hampton, Virginia 23365
- 17 National Aeronautics and Space Administration, Lewis Research Center (Dr. Louis Rosenblum, MS 302-1), 21000 Brookpark Road, Cleveland, Ohio 44135
- 18 National Aeronautics and Space Administration, Lewis Research Center (Mr. Harvey Schwartz, MS 309-1), 21000 Brookpark Road, Cleveland, Ohio 44135
- 19 National Aeronautics and Space Administration, Lewis Research Center (Dr. J. Stewart Fordyce, MS 6-1), 21000 Brookpark Road, Cleveland, Ohio 44135

- 20 National Aeronautics and Space Administration, George C. Marshall Space Flight Center (Mr. Richard Boehme, R-ASTR-EP), Huntsville, Alabama 35812
- 21 National Aeronautics and Space Administration, Manned Spacecraft Center (Code EP-5, Mr. W. E. Rice), Houston, Texas 77058
- 22 National Aeronautics and Space Administration, Ames Research Center (Code PBS, M.S. 244-2, Mr. Jon Rubenzer), Moffett Field, California 94035
- 23 National Aeronautics and Space Administration, Electronics Research Center (Code CPE, Dr. Sol Gilman), 575 Technology Square, Cambridge, Massachusetts 02139
- 24 Jet Propulsion Laboratory (Mr. P. Goldsmith, M.S. 198-223), 4800 Oak Grove Drive, Pasadena, California 91103
- 25 Commanding General, U. S. Army Electro Technology Lab., Energy Conversion Research Division (MERDC), Fort Belvoir, Virginia 22060
- 26 Commanding General, U. S. Army Electronics Command (AMSEL-ME-NMP-TB-2, Mr. A. Frink), Fort Monmouth, New Jersey 07703
- 27 Commanding General, U. S. Army Weapons Command (Code AMSWE-RDR, Mr. G. Reinsmith), Rock Island Arsenal, Rock Island, Illinois 61201
- 28 U. S. Army Natick Laboratories, Clothing and Organic Materials Division (Mr. Leo A. Spano), Natick, Massachusetts 01762
- 29 Harry Diamond Laboratories (Mr. Nathan Kaplan), Room 300, Building 92, Connecticut Avenue and Van Ness Street, N.W., Washington, D. C. 20438
- 30 Chief of Naval Research (Director, Power Program, Code 473), Navy Department, Washington, D. C. 20360
- 31 Chief of Naval Research (Code 472, Mr. Harry Fox), Navy Department, Washington, D. C. 20360
- 32 Director, Naval Research Laboratory (Code 6160, Dr. J. C. White), Washington, D. C. 20390

- 33 Officer in Charge, Annapolis Division, Naval Ship Research and Development Center (Code M760, Mr. J. H. Harrison), Annapolis, Maryland 21402
- 34 Commander, Naval Air Systems Command (Code AIR-340C, Mr. Milton Knight), Department of the Navy, Washington, D. C. 20360
- 35 Commanding Officer, Naval Weapons Center, Corona Laboratories (Code 441, Mr. William C. Spindler), Corona, California 91720
- 36 Commander, U. S. Naval Ordnance Laboratory White Oak (Code 232, Mr. Philip B. Cole), Silver Spring, Maryland 20910
- 37 Commander, Naval Ship Engineering Center (Code 6157D, Mr. C. F. Viglotti), Washington, D. C. 20360
- 38 Superintendent, Naval Observatory (Code STIC, Mr. Robert E. Trumbule, Building 52), 34th and Massachusetts Avenue, N.W., Washington, D. C. 20390
- 39 Commander, Naval Ship Systems Command (Code SHIP-03422, Mr. Bernard B. Rosenbaum), Department of the Navy, Washington, D. C. 20360
- 40 Aero Propulsion Laboratory (APIP-2, Mr. James E. Cooper), Wright-Patterson Air Force Base, Ohio 45433
- 41 Air Force Cambridge Research Laboratory (CRE, Mr. Francis X. Doherty and Mr. Edward Raskind, Wing F), L. G. Hanscom Field, Bedford, Massachusetts 01731
- 42 Rome Air Development Center (Mr. Frank J. Mollura, Code EMEAM), Griffiss Air Force Base, New York 13442
- 43 National Bureau of Standards (Dr. W. J. Hamer), Washington, D. C. 20234
- 44-63 Director, Defense Documentation Center, Cameron Station, Alexandria, Virginia 22314
- 64 Aerospace Corporation (Library Acquisition Group), P. O. Box 95085, Los Angeles, California 90045
- 65 A.M.F. (Mr. R. A. Knight), 689 Hope Street, Stamford, Connecticut 06907

- 66 American University, Chemistry Department (Dr. R. T. Foley), Massachusetts and Nebraska Avenues, N.W., Washington, D. C. 20016
- 67 Atomics International Division, North American Aviation, Inc. (Dr. H. L. Recht), 8900 DeSota Avenue, Canoga Park, California 91304
- 68 Battelle Memorial Institute (Dr. C. L. Faust), 505 King Avenue, Columbus, Ohio 43201
- 69 Bellcomm (Mr. B. W. Moss), 1100-17th Street, N.W., Washington, D. C. 20036
- 70 Bell Laboratories (Mr. U. B. Thomas and Dr. D. O. Feder), Murray Hill, New Jersey 07971
- 71 Dr. Carl Berger, 13401 Kootenay Drive, Santa Ana, California 92705
- 72 Burgess Battery Company (Dr. Howard J. Strauss), Foot of Exchange Street, Freeport, Illinois 61032
- 73 C & D Batteries, Division of Electric Autolite Company (Dr. Eugene Willihnganz), Conshohocken, Pennsylvania 19428
- 74 Calvin College, Science Building (Prof. T. P. Dirkse), 3175 Burton Street, S.E., Grand Rapids, Michigan 49506
- 75 Catalyst Research Corporation (Dr. H. J. Goldsmith), 6101 Falls Road, Baltimore, Maryland 21209
- 76 Communications Satellite Corporation (Mr. Robert Strauss), 1835 K Street, N. W., Washington, D. C. 20036
- 77 G. & W. H. Corson, Inc. (Dr. L. J. Minnick), Plymouth Meeting, Pennsylvania 19462
- 78 Cubic Corporation (Librarian), 9233 Balboa Avenue, San Diego, California 92123
- 79 Delco-Remy Division, General Motors Corporation (Mr. J. A. Keralla), 2401 Columbus Avenue, Anderson, Indiana 46011
- 80 Eagle-Picher Industries, Inc. (Mr. E. P. Broqlio), P. O. Box 47, Joplin, Missouri 64801

- 81 E. I. du Pont Nemours and Company, Engineering Materials Laboratory, Experimental Station, Building 304, (Mr. J. M. Williams), Wilmington, Delaware 19898
- 82 ESB, Inc. (Director of Engineering), P. O. Box 11097, Raleigh, North Carolina 27604
- 83 ESB, Inc., Carl F. Norberg Research Center (Dr. R. A. Schaefer), 19 West College Avenue, Yardley, Pennsylvania 19067
- 84 Electrochimica Corporation (Dr. Morris Eisenberg), 1140 O'Brien Drive, Menlo Park, California 94025
- 85 Electromite Corporation (Mr. R. H. Sparks), 2117 South Anne Street, Santa Ana, California 92704
- 86 Electro-Optical Systems, Inc. (Mr. Martin G. Klein), 300 North Halstead Street, Pasadena, California 91107
- 87 Emhart Corporation (Dr. W. P. Cadogan), Box 1620, Hartford, Connecticut 06102
- 88 Dr. Arthur Fleischer, 466 South Center Street, Orange, New Jersey 07050
- 89 General Electric Company, Research and Development Center (Dr. R. C. Osthoff), P. O. Box 43, Schenectady, New York 12301
- 90 General Electric Company, Missile and Space Division, Spacecraft Department (Mr. K. L. Hanson, Room M-2614), P. O. Box 8555, Philadelphia, Pennsylvania 19101
- 91 General Electric Company, Battery Business Section (Mr. W. H. Roberts). P. O. Box 114, Gainesville, Florida 32601
- 92 General Electric Company (Whitney Library), P. O. Box 8, Schenectady, New York 12301
- 93 Globe-Union, Incorporated (Mr. John R. Thomas), P. O. Box 591, Milwaukee, Wisconsin 53201
- 94 Grumman Aircraft Engineering Corporation, AAP Project-Future Missions (Mr. J. S. Caraceni, Plant 25), Bethpage, Long Island, New York 11714

- 95 Gulton Industries, Alkaline Battery Division (Dr. H. N. Seiger), 1 Gulton Street, Metuchen, New Jersey 08840
- 96 Honeywell, Incorporated, Livingston Electronic Laboratory (Library), Montgomeryville, Pennsylvania 18936
- 97 Dr. P. L. Howard, Centreville, Maryland 21617
- 98 Hughes Aircraft Corporation (Mr. M. E. Ellion, Bldg. 366, M.S. 5240, El Segundo, California 90245
- 99 ITT Research Institute (Dr. H. T. Francis), 10 West 35th Street, Chicago, Illinois 60616
- 100 Idaho State University, Department of Chemistry (Dr. G. Myron Arcand), Pocatello, Idaho 82301
- 101 Institute for Defense Analyses (Mr. R. Hamilton), 400 Army-Navy Drive, Arlington, Virginia 22202
- 102 Institute for Defense Analyses (Dr. R. Briceland), 400 Army-Navy Drive, Arlington, Virginia 22202
- 103 International Nickel Company (Mr. William C. Mearns), 1000-16th Street, N.W., Washington, D. C. 20036
- 104 Johns Hopkins University, Applied Physics Laboratory (Mr. Richard E. Evans), 8621 Georgia Avenue, Silver Spring, Maryland 20910
- 105 Leesona Moos Laboratories (Dr. A. Moos), Lake Success Park, Community Drive, Great Neck, New York 11021
- 106 Arthur D. Little, Incorporated (Dr. James D. Birkett), Acorn Park, Cambridge, Massachusetts 02140
- 107 Lockheed Missiles and Space Company (Mr. Robert E. Corbett, Dept. 62-23, Bldg. 154), P. O. Box 504, Sunnyvale, California 94088
- 108 Mallory Battery Company (Mr. R. R. Clune), So. Broadway and Sunnyside Lane, Tarryton, New York 10591
- 109 P. R. Mallory and Co., Inc. (Dr. Per Bro), Northwest Industrial Park, Burlington, Massachusetts 01801
- 110 P. R. Mallory and Co., Inc. (Technical Librarian), 3029 E. Washington Street, Indianapolis, Indiana 46206

- 111 Martin-Marietta Corporation (Mr. William B. Collins, M.S. 1620 and Mr. M. S. Imamura, M.S. 8840), P. O. Box 179, Denver, Colorado 80201
- 112 Mauchly Associates, Inc. (Mr. John Waite), Montgomeryville Industrial Center, P. O. Box 279, Montgomeryville, Pennsylvania 18936
- 113 McDonnell Douglas, Astropower Laboratory (Dr. George Moe), 2121 Campus Drive, Newport Beach, California 92663
- 114 Monsanto Corporation, New Enterprise Division (Dr. J. O. Smith), Everett, Massachusetts 02149
- 115 North American Aviation Co., S & ID Division (Dr. James Nash), Downey, California 90241
- 116 Philco-Ford Corporation, Space Power and Prop. Department (M.S. W-49, Mr. D. C. Briggs), 3825 Fabian Way, Palo Alto, California 94303
- 117 Power Information Center, University City Science Institute, Room 2107, 3401 Market Street, Philadelphia, Pennsylvania 19104
- 118 Prime Battery Corporation, 15600 Cornet Street, Santa Fe Springs, California 90670
- 119 RAI Research Corporation, 36-40 37th Street, Long Island City, New York 11101
- 120 Sonotone Corporation (Mr. A. Mundel), Saw Mill River Road, Elmsford, New York 10523
- 121 Southwest Research Institute (Library), 8500 Culebra Road, San Antonio, Texas 78206
- 122 Texas Instruments, Inc., Metals and Controls Division (Dr. E. J. Jost), 34 Forest Street, Attleboro, Massachusetts 02703
- 123 TRW Systems, Inc. (Dr. A. Krausz, Bldg. 60, Room 1047), One Space Park, Redondo Beach, California 90278
- 124 TRW Systems, Inc. (Dr. Herbert P. Silverman), (R-1/2094), One Space Park, Redondo Beach, California 90278

- 125 TRW, Inc. (Librarian), 23555 Euclid Avenue, Cleveland,
Ohio 44117
- 126 Tyco Laboratories, Inc. (Dr. A. C. Makrides), Bear Hill,
Hickory Drive, Waltham, Massachusetts 02154
- 127 Unified Sciences Associates, Inc. (Dr. S. Naiditch),
2925 E. Foothill Boulevard, Pasadena, California 91107
- 128 Union Carbide Corporation, Development Laboratory
Library, P. O. Box 5056, Cleveland, Ohio 44101
- 129 Union Carbide Corporation, Consumer Products Division
(Dr. Robert Powers), P. O. Box 6166, Cleveland,
Ohio 44101
- 130 University of Pennsylvania, Electrochemistry Laboratory
(Prof. John O'M. Bockris), Philadelphia,
Pennsylvania 19104
- 131 Westinghouse Electric Corporation, Research and
Development Center (Dr. C. C. Hein, Contract Admin.),
Churchill Borough, Pittsburg, Pennsylvania 15235
- 132 Whittaker Corporation, Narmco R & D Division
(Dr. M. Shaw), 12032 Vose Street, North Hollywood,
California 91605
- 133 Whittaker Corporation, Power Sources Division
(Mr. J. W. Reiter), 3850 Olive Street, Denver,
Colorado 80237